

THE TRUBBLE STAYES OF AVIOR CA

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office

June 03, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/458,399

FILING DATE: March 31, 2003

RELATED PCT APPLICATION NUMBER: PCT/US04/09614

REC'D 0 7 JUN 2004

WIPO

PCT

By Authority of the COMMISSIONER OF PATENTS AND TRADEMARKS



N. WOODSON
Certifying Officer

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

THE IS A TOUGHT TO THINK A PROVIS	IONAL APPLICATION	FOR PATENT u	nder 37 CFR 1.5	3(b)(2).	
<u> </u>	INVENTOR(s)/APPLICANT(s	s)		
Given Name (first and middle [if any])	Family Name o	Residence (CITY AND EITHER STATE OR FOREIGN OPUNTRY			
Allan L.	GOLDSTEIN		Bethesda, Maryland		8399°
Additional inventors are being	named on the sep	arately numbered	sheets attached	hereto.	26/5
TITLE OF THE INVENTION (280 characters may)					- <u> </u>
IMPROVED METHOD OF DELVER AND CHRONIC WOUND SITES	MG THYMOSIN β4 (TE	β ₄) AND Τβ ₄ ANA	LOGUES AND IS	SOFORM	S TO ACUTE
	CORRESPONI	DENCE ADDRES	SS		
X Customer Number: 6449					
Firm or Individual Name	Rothwell, Figg, Ernst & Manbeck, P.C.				
Address	1425 K Street, N.W.				
Address	Suite 800				
City	Washington	State	D.C.	ZIP	20005.
Country	U.S.A.	Telephone	202-783-6040	Fax	202-783-6031
EN	CLOSED APPLICATION	ON PARTS (check	k áll that apply)		1 = 0 0001
 Specification Number of Pa Drawing(s) Number of Sh Application Data Sheet. See 3 	ges [3]	CD(s), Numbe	r)		
METHOD OF PAYMENT OF FI		PROVISIONAL	APRI ICATION S	OD DAT	
Applicant claims small entity st A check or money order is enc The Commissioner is hereby a or credit any overpayment to D Payment by credit card. Form	atus. See 37 CFR 1.2 losed to cover the filing uthorized to charge filing enosit Account Number	7 g fee ng fees	Filing Fee \$80.00		ENI (check one)
The invention was made by an agency of Government.			ontract with an age	ncy of the	United States
X No.					
Yes, the name of the U.S. Government	ent agency and the Gove	ramont so-t			
Respectfully submitted,	on agency and the Gove	mment contract no	ımper are:		
SIGNATURE GF	thursel	Date	March 24 00	102	
TYPED or PRINTED NAME G. Franklin Rothwell TELEPHONE: 202-783-6040 Date March 31, 2003 REGISTRATION NO. 18,125 Docket Number: 2600-112					

USE ONLY FOR FILING PROVISIONAL APPLICATION FOR PATENT

2800-112-prov.wpd

Ş

IMPROVED METHOD OF DELIVERING THYMOSIN β_4 (T β_4) and T β_4 ANALOGUES AND ISOFORMS TO ACUTE AND CHRONIC WOUND SITES

Technical Field of the Invention

The present invention relates generally to the use of combinations of Factor XIIIIa, fibrin-glue, fibrinogen or fibrin or fragments thereof to specifically bind Thymosin Beta 4 (T β_4) or its analogues, isoforms, or anti-sense peptides or antibodies to concentrate these small peptides at the wound site for wound treatment and repair. This method of delivery of T β_4 would increase the stability of T β_4 , reduce inflammation, regulate actin, accelerate cell migration and induce angiogenesis to (i) enable more efficient delivery of T β_4 to the biological sites of interest, (ii) enhance the efficacy of a product comprising at least T β_4 or one of its related compounds described herein and (iii) reduce costs.

Background

There are many ways to deliver molecules specific to a biological site such as a wound site. In some cases, especially with small molecules, such as $T\beta_4$, the combination of several products may be a more efficient and less costly way of administering a pharmaceutical or a combination of pharmaceuticals. There are numerous historical examples of such combinations and newer ones under development. Additionally, the means and processes by which molecules are bound add significantly to their efficacy and ability to withstand degradation over time while administered inside or on the body for therapeutic purposes.

Summary of the Invention

The invention relates to $T\beta_4$ and $T\beta_4$ analogues and novel methods to specifically concentrate covalently and bind these small peptides to biological molecules such as fibrin glue, fibrin, and fibrin fragments to enhance their wound healing anti-microbial and inflammatory properties.

In most general terms the invention expands the use of $T\beta_4$, $T\beta_4$ analogues and isoforms especially those specifically bonded to the coagulation protein fibrin to enhance the wound healing anti-inflammatory and anti-microbial properties of $T\beta_4$ at the wound site. It is well established in the art that factor XIIIa cross-links the COOH-terminal portions of the γ and α chains resulting in γ - γ dimer and α -polymers, respectively, and that some large proteins such as fibrinectin, α_2 -antiplasmin, and, von Willebrand factor can be cross-linked to the COOH-terminal portion of the α chains. Although it was expected that $T\beta_4$ would be cross-linked to the same regions, it was unexpected that this covalent binding by factor XIIIa of $T\beta_4$ would increase the wound healing anti-inflammatory and anti-microbial activity of this molecule.

This invention provides the first evidence that the fibrinogen and fibrin (A) α chain contains the main sites for covalent incorporation of T β_4 . Further this invention clearly establishes that in fibrin(ogen) the major cross-linking sites for T β_4 are located in the COOH-terminal half of the α C-domains (residues α C392-610) and that T β_4 can also be cross-linked to the fibrinogen γ -modules.

The present invention is based on the discovery that $T\beta_4$ and other actin sequestering peptides' fragments and analogues that contain the actin binding motif and amino acid sequence LKKTET are chemotactic for endothelial cells and can be bonded with large protein molecules to produce a desired affect or reduce cost of treatment.

The following are claimed:

- 1. The invention provides a method for a novel method for co-valently concentrating Tβ₄ at the site of a wound by binding of Tβ₄ and its analogues, fragments, isoforma and other variations, including oxidized versions, to various molecules and compounds such as fibin, fibrin glue, collagen types 1,2,3,4,5, actin, integrin, growth factors, anti-viral compounds, anti-bacterial compounds, and anti-microbial compounds, among others by the use of factor XIIIα.
- 2. Covalently or otherwise linking the claimed $T\beta_4$ and related molecules and other actin-sequestering peptides using hydrogen bonding, changing the charge of the molecules, using a circular molecule, among other methods, to stents or other medical devices or molecules used for medical treatment.
- 3. A novel method for concentrating $T\beta_4$ at the site of acute or chronic wounds and stabilizing and enhancing its activities.
- 4. A novel method using covalently bound $T\beta_4$ or $T\beta_4$ analogues or isoforms which can be delivered by a spray or bonding formulation to the site of acute or chronic wounds.
- 5. Applying a therapeutically effective amount of the composition or combination to a site on a periodic basis during a course of therapy to create the desired medical effect.
- 6. In one aspect of the method, the healing polypeptide is Tβ₄ or an isoform or oxidized form delivered in a tolerated dosage formula with a covalently linked larger protein to stabilize and prolong biological activity and to created the desired medical effect.
- 7. The composition may be naturally derived, or produced using recombinant or synthetic methods.
- 8. The method of claim 5, wherein the agent in an antibody.
- 9. The method of claim5, wherein the antibody is polyclonal.
- 10. The method of claim 5, wherein the antibody is monoclonal.

- 11. A method for coating a stent with covalently based $T\beta_4$ or $T\beta_4$ isoforms or analogues at the site of a vascular disorder to reduce inflammation and infection and to accelerate wound healing.
- 12. The method of claim 9, wherein one would use an antagonist of the $T\beta_4$ peptide.